

**GREATER KARACHI BULK WATER SUPPLY SCHEME
K-IV AUGMENTATION WORKS**

Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA

SUMMARY SHEET

Bill No.	Description	Amount (Rs.)	Amount Foreign Currency
1	BILL 1: PRELIMINARY & GENERAL ITEMS		
2	BILL 2: PROVISIONAL SUMS	2,405,033,000	
3	BILL 3: WATER TRANSMISSION MAIN DN2400		
4	BILL 4: ESMP IMPLEMENTATION COST		
5	BILL 5: DAY WORKS		
	Sub Total-(A)		
6	Sindh Sales Tax (SST) @ 5% (excluding Provisional Sums)		
7	Add 2% Physical Contingencies (excluding Provisional Sums)		
	Sub Total-(B)		
	Grand Total (A+B)		
	Total Amount (Million)		

GREATER KARACHI BULK WATER SUPPLY SCHEME K-IV AUGMENTATION WORKS							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 1: PRELIMINARY & GENERAL ITEMS							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Rate (Rs.)	Rate Foreign Currency____	Amount (PKR)	Amount Foreign Currency ____
1.1	Method related charges						
1.1.1	Prepare and provide hard and soft editable files As-built drawings as per the specifications for site	Lump sum	1				
	Sub-total Group 1.1						
1.2	CAPACITY BUILDING AND TRAININGS						
1.2.1	Provide Training to KW&SC staff on Operation and Maintenance of the Infrastructure as per particular specifications. Allow for training of at least 10 staff	Lump sum	1				
1.3	Risk Insurance 1. Provision of insurance for works & contract equipment 2. Provision of insurance required for Goods 3. Provision of insurance for third parties 4. Provision of insurance to cover accident/injury to contractor's personnel 5. Provision of insurance for liability for breach of professional duty (to be paid as per actual)	Lump sum	1				
1.4	Compliance with Environmental and Social Management Plan	Lump sum	1				
1.5	Compliance with Health and Safety Plan	Lump sum	1				
	Sub-total Group 1.2						
	Total Bill 1						

GREATER KARACHI BULK WATER SUPPLY SCHEME K-IV AUGMENTATION WORKS					
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA					
BILL 2: PROVISIONAL SUMS					
TRANSMISSION MAIN AND APPURTENANCES					
S.No.	Description	Unit	Quantity	Rate (PKR)	Amount (PKR)
2.1	Contractual Requirements				
	Provisional sums for the Employer's portion of DAAB costs in accordance with Clause 4.2 of General Conditions of Contract	PS	1	16,200,000	16,200,000
	Sub-total Group 2.1				
2.2	Testing and Inspection of Works				
2.2.1	Provide and maintain materials and works testing laboratory in accordance with specifications	PS	1	3,240,000	3,240,000
	Testing of the Works				
2.2.2	Test run the constructed Works for a period of 3 weeks after substantial completion during DLP including supply of leak maintenance materials	PS	1	810,000	810,000
	Testing of Materials				
2.2.3	Concrete materials tests as specified	PS	1	243,000	243,000
2.2.4	Concrete cubes tests as specified (per set of three)	PS	1	243,000	243,000
2.2.5	Earthworks tests as specified	PS	1	243,000	243,000
2.2.6	Other Material Tests as specified	PS	1	162,000	162,000
	Temporary Works				
2.2.7	Provision, construction, and/or improvement of access roads to project site when necessary, including all signage to ensure safe and convenient vehicular and pedestrian access.	PS	1	3,240,000	3,240,000
2.2.8	Erect, maintain and remove project sign boards (location as directed on site)	PS	1	972,000	972,000
2.2.9	Detour road patchwork under traffic diversion works	PS	1	150,000,000	150,000,000
	Sub-total Group 2.2				

GREATER KARACHI BULK WATER SUPPLY SCHEME K-IV AUGMENTATION WORKS					
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA					
BILL 2: PROVISIONAL SUMS					
TRANSMISSION MAIN AND APPURTENANCES					
S.No.	Description	Unit	Quantity	Rate (PKR)	Amount (PKR)
2.3	Provisional sums				
2.3.1	Allow a provisional sum for FAT test and inspection of pipe, fittings and valves materials manufacturing confirmation by the Employer and Engineer. Rate to cover for Transport and travel, accommodation and allowances.	PS	1	16,200,000	16,200,000
2.3.2	Provisional Sum for laying of pipe with cathodic protection where required, including design based on soil investigations conducted and resistivity results along the pipeline route, in accordance with the project specifications and as directed and approved by the Engineer.	PS	1	276,000,000	276,000,000
2.3.3	Provisional Sum for Geotechnical investigation along the pipeline route including boring, dutch cone sounding, chemical tests, soil analysis, laboratory analysis, and submission of report and any other field data that may be required as required by the Engineer.	PS	1	6,480,000	6,480,000
2.3.4	Provisional sum for upgradation or rehabilitation of the existing network which is connected to terminal nodal points inclusive of all activities such as rehabilitation, provision of valves, flowmeters and other allied facilities as per the direction of the engineer in charge	PS	1	281,000,000	281,000,000
2.3.5	Provisional sum for payment to utility agencies for relocation including identification & protection of all public utility services encountered within the works during contract period including power cables, telephone cables, optical fibre cables, gas pipelines, water supply lines, sewers & drains.	PS	1	1,650,000,000	1,650,000,000
	Sub-total Group 2.3				
	Total Bill 2				2,405,033,000

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
1	CLEARING AND GRUBBING						
	Clearing jungle (ordinary & dense) with a clearing width along the pipeline alignment, as per specifications, by cutting removing all shrubs, trees as per site girth & taking out their entire roots and filling the hollows with earth complete with dressing consolidating and watering the filling including stacking the serviceable materials and disposal of useless materials cost of lead, lift and include earth etc. Complete in respects as per drawings, specifications and Engineer's instruction.	Sq.m	11,485.00				
2.	Dismantling						
2.1	Dismantling of existing road including base, sub-base and disposal of dismantled materials to designated place approved by the Engineer.	Cu.m	26,045				
2.2	Dismantling cement concrete plain and disposal of dismantled materials to designated place approved by the Engineer.	Cu.m	100				
2.3	Dismantling cement concrete reinforced separating reinforcement from concrete cleaning and straightening the same and disposal of dismantled materials to designated place approved by the Engineer.	Cu.m	100				
2.4	Dismantling Block/brick masonry and disposal of dismantled materials to designated place approved by the Engineer.	Cu.m	100				
3	EXCAVATION						
A-1	EXCAVATION - TRENCHES FOR PIPES						
	Earthwork excavation in foundation of trenches for pipes in any strata upto any required depth from natural ground level including trial pits, welding pits, dismantling of all existing, dewatering, shoring (including shoring design), dressing, levelling & compacting. Retain approved material for re-use in back-filling / filling. Excavated material / previous construction materials if disposed along the alignment of proposed pipelines and structures shall be disposed off away from site of work at suitable place by dumpers. (No extra payment will be made in this regard). Excess excavation done for working if any for ease of work, will be backfilled by Contractor with same excavated earth or any imported earth, no payment will be made in this regards. Complete in all respects as per drawings, specifications and Engineer's instruction.						
3.1	Soft soil 70%						
3.1.1	Depth range: 0-2 m	Cu.m	135,149				
3.1.2	Depth range: 2-5 m	Cu.m	151,071				
3.1.3	Depth range: >5 m	Cu.m	631				
3.2	Hard soil 20%						
3.2.1	Depth range: 0-2 m	Cu.m	38,614				

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
3.2.2	Depth range: 2-5 m	Cu.m	43,163				
3.2.3	Depth range: >5 m	Cu.m	180				
3.3	Provisional quantity for Rock soil 10%						
3.3.1	Depth range: 0-2 m	Cu.m	19,307				
3.3.2	Depth range: 2-5 m	Cu.m	21,582				
3.3.3	Depth range: >5 m	Cu.m	90				
A-2	SOLDIER PILING - TRENCHES FOR PIPES						
3.4	Provide, design, install, maintain, and remove a soldier piling system or other equivalent trench support system, subject to the approval and satisfaction of the Engineer for the support of trench and excavation sides, measured per running meter on each side, complete in all respects in accordance with the approved drawings, specifications, and applicable safety regulations. Including all materials, design following soil conditions, excavation depth, groundwater, surcharge loads, and construction sequence, installation of structural steel soldier piles at the specified size, spacing and embedment as required by the design, progressive installation of lagging during excavation, monitoring, adjustment, and protection of adjacent structures, utilities, and personnel, until the excavation is safely backfilled or the shoring system is removed.	Ru.m	27,600				
B-1	EXCAVATION - TRENCHES FOR CHAMBERS						
	Earthwork excavation in foundation of trenches for pipes in any strata upto any required depth from natural ground level including trial pits, welding pits, dismantling of all existing, dewatering, shoring (including shoring design), dressing, levelling & compacting. Retain approved material for re-use in back-filling / filling. Excavated material / previous construction materials if disposed along the alignment of proposed pipelines and structures shall be disposed off away from site of work at suitable place by dumpers. (No extra payment will be made in this regard). Excess excavation done for working if any for ease of work, will be backfilled by Contractor with same excavated earth or any imported earth, no payment will be made in this regards. Complete in all respects as per drawings, specifications and Engineer's instruction.						
3.5	Soft soil 70%						
3.5.1	Depth range: 0-2 m	Cu.m	2,408				
3.5.2	Depth range: 2-5 m	Cu.m	2,562				
3.5.3	Depth range: >5 m	Cu.m	154				
3.6	Hard soil 20%						
3.6.1	Depth range: 0-2 m	Cu.m	688				
3.6.2	Depth range: 2-5 m	Cu.m	732				

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
3.6.3	Depth range: >5 m	Cu.m	44				
3.7	Provisional quantity for Rock soil 10%						
3.7.1	Depth range: 0-2 m	Cu.m	344				
3.7.2	Depth range: 2-5 m	Cu.m	366				
3.7.3	Depth range: >5 m	Cu.m	22				
B-2	EXCAVATION WITH SOLDIER PILING - TRENCHES FOR CHAMBERS						
3.8	Provide, design, install, maintain, and remove a soldier piling system or other equivalent trench support system, subject to the approval and satisfaction of the Engineer for the support of trench and excavation sides, measured per running meter on each side, complete in all respects in accordance with the approved drawings, specifications, and applicable safety regulations. Including all materials, design following soil conditions, excavation depth, groundwater, surcharge loads, and construction sequence, installation of structural steel soldier piles at the specified size, spacing and embedment as required by the design, progressive installation of lagging during excavation, monitoring, adjustment, and protection of adjacent structures, utilities, and personnel, until the excavation is safely backfilled or the shoring system is removed.	Ru.m	80				
4	LOWERING OF SUB SOIL WATER TABLE						
	Provisional quantity for lowering of sub-soil water table, by installation of tubewells along pipe line and pumping out water, for excavation in open cutting below sub-soil water level, concreting, curing, laying and jointing pipes, filling haunches, etc. till the completion of pipe line, including disposal of pumped out water:-						
4.1	0-1 ft. (0 to 310 mm) below SSWL	R.m	500				
4.2	0-2 ft. (0 to 610 mm) below SSWL	R.m	500				
4.3	0-3 ft. (0 to 910 mm) below SSWL	R.m	500				
4.4	0-4 ft. (0 to 1220 mm) below SSWL	R.m	500				
4.5	0-5 ft. (0 to 1520 mm) below SSWL	R.m	500				
4.6	0-6 ft. (0 to 1830 mm) below SSWL	R.m	1,000				
4.7	0-7 ft. (0 to 2170 mm) below SSWL	R.m	1,000				
4.8	0-8 ft. (0 to 2480 mm) below SSWL	R.m	1,000				
4.9	0-9 ft. (0 to 2790 mm) below SSWL	R.m	1,000				
4.10	0-10 ft. (0 to 3100 mm) below SSWL	R.m	1,000				
4.11	0-11 ft. (0 to 3410 mm) below SSWL	R.m	1,000				
4.12	0-12 ft. (0 to 3720 mm) below SSWL	R.m	1,500				

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
5	SAND BEDDING AND PADDING/SURROUNDING						
	Providing, placing and compacting an imported 200 mm thick sand bedding beneath pipes, including surrounding and backfilling up to 300 mm above the crown of the pipe, including dressing, watering, levelling, consolidation etc. The imported material shall comply with a maximum AASHTO Class A-3 as determined by AASHTO soil classification tests and shall be subject to the Engineer's approval. The method of compaction shall achieve not less than 95% Modified Proctor density. Complete in all respects as per drawings, specifications and Engineer's instruction.	Cu.m	136,222				
6	M.S.PIPE						
	Providing and fixing M.S.Pipes including laying, jointing, pressure testing, cleaning, disinfection & commissioning of black steel M.S Pipe made out of M.S sheet confirming to API 5L grade X-42 (Spirally welded) with ERW & Externally 3LPE coating & internally fusion bonded epoxy coating with a minimum Dry Film Thickness (DFT) of 400 - 500 microns as per American water works association (AWWA) Specification and technical specifications, heat shrinkage or alternative, and jointing with helical welding in trenches i/c cost of all fittings, bends, tees, yeas of any degree & reducer with necessary flanges and testing with water specified pressure for different dia of pipes as below, including warning tape that shall be 300mm wide, 100 micron thick, blue in color, manufactured in suitable plastic material from an approved supplier. Complete in all respects as per drawings, specifications and Engineer's instruction.						
6.1	96 inch (2438.4 mm OD) x 20.6 mm wall thickness	R.m	23,000.00				
7	GRAVEL FILTER						
	Providing and laying 150mm thick Gravel filter material under stone pitching on side slope and plain surface including clean, hard natural gravel laid to the thickness specified . Complete in all respects as per drawings, specifications and Engineer's instruction.	Cu.m	275.00				
8	STONE PITCHING						

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
	Providing and laying 250mm thick Stone pitching above gravel filter material on side slope and plain surface grouted with 1:4 cement sand in Nala crossing/stream/siphon crossing including roughly hammer dressed so that they fit closely together, laid to a true and even surface on a bed of gravels . Complete in all respects as per drawings, specifications and Engineer's instruction.	Cu.m	457.00				
9	PIPE ENCASEMENT						
	Providing, mixing, and placing Class C (21 MPa) concrete for pipe encasement, including compaction, curing, and finishing, complete in all respects in accordance with the drawings, specifications, and Engineer's instructions	Cu.m	8,268.00				
10	BACKFILLING						
10.1	SELECTED MATERIAL BACKFILLING						
	Structural backfilling using selected imported material borrowed from approved quarries around structures, placed in layers not exceeding 150 mm thickness. The material shall comply with AASHTO Classification and shall meet at least Class A-2 4 or A-4 (or a better class), as approved by the Engineer.Including watering, compacting upto required level with suitable excavated material as approved by the Engineer. The method of compaction shall achieve not less than 95% Modified Proctor density. Complete in respects as per drawings, specifications and Engineer's instruction.	Cu.m	92,223				
10.2	COMMON MATERIAL BACKFILLING						
	Structural backfilling around structures using common excavated material, placed in layers not exceeding 150 mm thickness. The material shall meet at least AASHTO Class A-4 (or a better class) and be subject to the Engineer's approval. Including watering, compacting upto required level with suitable excavated material as approved by the Engineer. The method of compaction shall achieve not less than 95% Modified Proctor density. Complete in respects as per drawings, specifications and Engineer's instruction.	Cu.m	92,223				
11	RCC CHAMBERS						
11.1	PLAIN AND REINFORCED CONCRETE						

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
	Providing and laying cement concrete using Ordinary Portland Cement / Sulphate resistant cement / Slag cement (separate or blended as per geo technical recommendations) including mixing, transporting, hosting, placing, form work, scaffolding, vibrating and curing etc., including the cost of form work and its removal complete in all respect as per drawings, specifications and Engineer's instructions (but excluding the cost of the reinforcement).						
11.1.1	Lean/Blinding cement concrete Min. Cylinder Strength of 10 MPa at 28 days under foundations/ footings etc.	Cu.m	90.00				
11.1.2	Reinforced cement concrete Min. Cylinder Strength 28 MPa at 28 days sub/super structural elements etc.	Cu.m	1,540.00				
11.2	REINFORCEMENT STEEL BAR						
	Providing and laying reinforcement bars using hot rolled deformed billet steel bars "Grade 60" conforming to ASTM A-615 including the cost of straightening, cutting, bending, binding, wastage and such overlaps as are not shown over the drawings, placing in position on chairs, tying with binding wires, etc., in all kinds of RCC work complete in all respects.	Ton.	80.00				
11.3	Bitumen Coating						
	Providing and applying water proofing with two coats (0.5 Kg per Sq.m each) of hot bitumen on concrete surfaces in contact with earth complete in all respects as per drawings, specifications and Engineer's instruction.	Sq.m	3,500.00				
11.4	Steel Rungs						
	Providing and fixing 25mm dia. hot dip Galvanized/ epoxy coated Steel Rungs. Each of 400 mm width, 200 mm projected outside the wall and 100 mm embedded in Reinforced Cement Concrete on both ends. Rungss shall be spaced at 300 mm c/c vertically, complete in all respects as per drawings, specifications and Engineer's instruction.	Each	1,140.00				
11.5	Water Stopper						

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
	Providing and embedding PVC water stopper in construction and expansion joints of RCC structures, complete in all respects in accordance with the approved drawings, specifications, and as directed by the Engineer.	R.m	480.00				
11.6	Chambers Cover						
	Providing and fixing Precast chambers covers slab Min. Cylinder Strength of 28 MPa concrete with appropriate lifting keys . All cover slabs shall be reinforced as shown in drawing including where chambers project above ground level, covers when in position shall be flush with the adjacent cover slab top surface. For chambers under roads and verges, frames shall be solidly bedded in cement mortar so that the covers when in position are fair and even with the adjacent surfaces. Complete in all respects as per drawings, specifications and Engineer's instruction.						
11.6.1	Size 0.8m x 0.8m	No.	60.00				
12	FITTINGS AND VALVES						
12.1	BUTTERFLY VALVE						
	Providing, installation, testing, and commissioning of PN16 double flanged butterfly valves made of ductile iron EN-GJS-450 material, designed to BS 5155, with a polyurethane coating (thickness 80 µm, color: RAL 5002), standard epoxy coating , allowing for Operating Pressures of 16 bar with options for higher velocities and various actuator/valve combinations. Manual actuation is available via manual gearboxes key & Labour. Complete as per drawings, specifications, and Engineer's instructions.						
a-	DI Double Flanged Dismantling Joint PN16						
	DN2400mm	No.	4				
b-	MS Straight Specials PN16						
	DN2400mm Flanged Spigot with puddle flange (L=2000mm)	No.	8				
c-	DI Butterfly Valve PN16						
	2400mm dia.	No.	4				
d-	Roadside Ventilation						
	OD 200mm, uPVC Class E PN16 Air vent pipe with stainless steel mesh as per the drawings	R.m	24				
12.2	AIR VALVE (With Isolation Valve)						

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
	Providing, installation, testing, and commissioning of a PN16 float consisting double body, double orifice air release valves with isolation valves made ductile iron EN-GJS-450 material, designed to AWWA C512 (14), with nominal pressures and a maximum permissible pressure of 16 bar. Includes packing, key, and labor. Complete in all respects as per drawings, specifications, and Engineer's instructions.						
a-	DN 200mm	No.	17.00				
b-	MS Straight Specials PN16						
	DN2400 Double Spigot with puddle flange (L=2000mm)	No.	34.00				
	DN200 Flanged Spigot Pipe (L=400mm)	No.	17.00				
c-	DI Gate Valves PN16						
	DN200mm FLANGED Gate Valve	No.	17.00				
d-	Roadside Ventilation Assembly						
	OD 200mm, uPVC Class E PN16 Air vent pipe to the ventilation chamber as per the drawings	R.m	102.00				
12.3	AIR INLET CHECK VALVE (With Isolation Valve)						
	Supply and installation of air inlet check valve in swan neck arrangement, conical body and disc type, flanged to EN 1092-2, suitable for PN 16 working pressure. Body, inlet cone, connection cone and disc in Steel S235, internally and externally epoxy coated (min. 250 µm) in accordance with DIN 30677. The item includes packing, all necessary bends and fittings for the swan-neck installation, and all labor required. Complete in all respects as per drawings, specifications, and the Engineer's instructions.						
a-	DI Air Inlet Check Valve PN16	No.	17.00				
	DN300mm, Air Inlet Check Valve						
b-	MS Straight Specials PN16						
	DN300 Flanged Spigot Pipe (L=400mm)	No.	17.00				
c-	DI Gate Valves PN16						
	DN300mm FLANGED Gate Valve	No.	17.00				
12.4	WASHOUT VALVE						

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
	Providing, installation, jointing, and fixing of a PN16 washout valve made of ductile iron EN-GJS-450 material with stainless steel 410 seat rings & stem, designed to BS 5150 / EN558 (3) complete with flanges, gaskets, nuts, bolts, pipes, key, and labor with nominal pressures of PN 16 bar. This includes all necessary pipes and fittings for draining the lines as per standards. Complete in all respects as per drawings, specifications, and Engineer's instructions.						
a-	DI Double Flanged Dismantling Joint PN16						
	DN300mm	No.	7.00				
b-	PE Pipe						
	OD300mm PN16 PE Pipe, L= 6m	R.m	42.00				
	OD500mm PN16 PE Pipe, L= 10m	R.m	70.00				
c-	MS Junctions and Branches PN16						
	DN300 Flanged Spigot MS Pipe Piece (L=200mm)	No.	7.00				
d-	DI Gate Valves PN16						
	DN300mm Double Flanged Gate Valve	No.	7.00				
e-	Surface Box for Buried Gate Valve						
	Surface Box	No.	7.00				
13	THRUST / Anchor Blocks						
	Providing and fixing of Thrust / Anchor blocks under pipe lines at horizontal, vertical bends, Tees, Reducers and blank ends constructed with concrete Minimum cylindrical strength Class C (21 MPa) . Including Complete design to be approved by the Engineer and complete construction in all respects as specifications and Engineer's instruction.	Cu.m	1,300				
14	REINSTATEMENT						
	Reinstatement of Road Surface i/c excavation of unsuitable material, sub grade preparation, granular sub base, aggregate base, cut back asphalt for bituminous prime and tack coat and asphaltic concrete for base & wearing course complete in all respect as per drawing and as directed by the Engineer/Incharge.						
14.1	Formation, dressing and preparing sub-grade as per drawings, sepecification and as directed by the Engineer.	Sq.m	124,000.00				

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
14.2	Providing and laying sub-base course of crushed stone aggregate of approved quality and grade, including placing, mixing, spreading and compaction of sub-base material to required depth, camber, grade to achieve 100% maximum modified AASHO dry density, including carriage of all material to site of work . (existing sub-base and base material will be reused as sub-base material and quantity will be adjusted accordingly)	Cu.m	18,603.00				
14.3	Providing and laying base course of crushed stone aggregate of approved quality and grade, and supply and spreading of stone screening, including placing, mixing, spreading and compaction of base course material to required depth, camber and grade to achieve 100% maximum modified AASHO dry density, including carriage of all materials to site of work.	Cu.m	18,603.00				
14.4	Providing and laying bituminous priming coat, using 10 lbs. kerosene oil and 10 lbs. binder per 100 Sft. or 0.5 Kg kerosene and 0.5 Kg binder per square metre.	Sq.m	124,000.00				
14.5	Providing and laying plant premixed bituminous base course (4% Bitumen), including compaction and finishing to required camber, grade and density, and carriage of all material to site of work. Provisional Quantity will used after the approval of Engineer.	Cu.m	6,200.00				
14.6	Providing and laying bituminous tack coat, using 10 lbs. of bitumen per 100 Sft (0.49 Kg of bitumen per sq.m.)	Sq.m	124,000.00				
14.7	Providing and laying plant premixed bituminous carpet, including compaction and finishing to required camber, grade and density, and carriage of all material to site of work.	Cu.m	6,200.00				
15	THRUST BORING						
	Full design and construction by Pipe Jacking for identified crossings as per the specifications and typical drawings including Detailed design finalization of the project works to be approved by the Engineer, hydraulic and hydrological analysis, alignment design, structural design, Temporary access shaft design, Permanent exit shaft design, geotechnical investigation and design, utility designs, etc. Construction of the micro-tunnel with all associated activities / requirements including: Preparation and general installation, approvals and permits, Thrust and reception shafts, pipe sleeves (107.28" dia MS sleeve for 96" dia pipe), necessary fittings, cement and sand slurry grouting (1:2) in the annular space including supply of pipe as stated in pipe specificationsTransport and installation, and subsequent removal of the Pipe Jacking equipments, Shored trench at the inlet and outlet side. Complete in all respects as per drawings, specifications and Engineer's instruction.	R.m	870				

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description	Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
16	CONNECTION FROM TRANSMISSION MAIN						
	Providing connections for future conveyance and connection with existing system including the cost of fabrication, fixing, jointing, all fittings, Tees etc. Complete in all respects as per drawings, specifications and Engineer's instruction.						
16.1	Emergency connections - NEK Emergency Connection						
	General connection of 1000mm from proposed 96 inch MS pipe including civil works / valve chamber, all fitting / specials, Tee / Y, flanges, gaskets, nuts, bolts, pipes, key, and labor with nominal pressures of PN 16 bar etc. for regular operational purpose complete in all respects as per drawings, specifications and as per the direction of the Engineer in charge.						
a-	DI Dismantling Joint PN16						
	DN 1000mm	No.	1.00				
b-	MS Straight Specials PN16						
	DN1000mm Double Flanged Pipe With Puddle Flange (L=2000mm)	No.	1.00				
	DN2400mm Flanged Spigot Pipe With Puddle Flange (L=2000mm)	No.	2.00				
c-	MS Junctions and Branches PN16						
	DN2400 x1000mm flanged Reducing Tee	No.	1.00				
d-	DI Butterfly Valves PN16						
	DN1000 mm	No.	1.00				
e-	DI Non Return Valve PN16						
	DN1000 mm	No.	1.00				
f-	MS Blank Flange PN16						
	DN1000 mm	No.	1.00				
h-	Roadside Ventilation						
	OD 200mm, uPVC Class E PN16 Air vent pipe with stainless steel mesh as per the drawings	R.m	6.00				
16.2	Connection at the existing treated water tank outlet						

GREATER KARACHI BULK WATER SUPPLY SCHEME							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 3: WATER TRANSMISSION MAIN DN2400							
TRANSMISSION MAIN AND APPURTENANCES							
S.No.	Description						
		Unit	Quantity	Unit Rate (Rs.)	Unit Rate Foreign Currency ____	Amount (Rs.)	Amount Foreign Currency ____
	Connection with the existing MS pipe at the R2 treated water tank outlet to the existing reducer including civil works, all fitting / specials, gaskets, nuts, bolts,, key, and labor with nominal pressures of PN 16 bar etc. for regular operational purpose complete in all respects as per drawings, specifications and as per the direction of the Engineer in charge.	No.	1				
16.3	Connection with the existing 96" at CH 22+973						
	General connection with the existing 96 inch MS pipe including civil works, all fitting / specials, gaskets, nuts, bolts, pipes, key, and labor with nominal pressures of PN 16 bar etc. for regular operational purpose complete in all respects as per drawings, specifications and as per the direction of the Engineer in charge.	No.	1				
	Total Bill 3						

GREATER KARACHI BULK WATER SUPPLY SCHEME K-IV AUGMENTATION WORKS										
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA										
BILL 4: ESMP IMPLEMENTATION COST										
Sr. No.	Parameter	Mechanism	No. of Samples	No. of Sampling Locations	Frequency	Quantity	Unit Rate (PKR)	Unit Rate (Foreign Currency____)	Amount PKR	Amount
										Foreign Currency _____
A	PRE- CONSTRUCTION PHASE (at Start of Project)									
A-1	Environmental Monitoring Cost									
1	Water Resources/ Water Quality	Grab sampling and laboratory testing of water samples by SEPA-approved Laboratory for monitoring as per Sindh environmental quality standards.	1	3	1	3				
2	Noise Levels	Noise monitoring in dBA Leq. as per Sindh environmental quality standards	1	3	1	3				
3	Ambient Air Monitoring	Monitoring of CO, CO2, SOx, NOx, HC and PM2.5 PM10 by SEPA approved Laboratory as per Sindh environmental quality standards	1	3	1	3				
4	Soil Quality	Sampling and testing of soil for the parameters including but not limited to Total Phosphates, Nitrate, Ammonia, Heavy Metals etc.	1	3	1	3				
5	Effluent Quality	Sampling and testing of liquid effluents for the parameters including but not limited to pH, Temeperature, DO, Turbidity, TOC, Totals P., TSS, BOD5, COD,Cd, Cu, Fe, Pb, Oil and grease, Fecal coliform etc.	1	3	1	3				
									Sub-Total (A-1)	
A-2	Tree Plantation Cost									
1	Tree Plantation Cost	Plantation of 7,800 trees of atleast 3-4 feet height, against the damage of 780 plants/trees including transplantation of Critically Endangered Specieis i.e., Camiphora Wighiti (Guggul) and Endagered Species i.e., Camiphora Stocksiana (Bhai Guggul).							Lumpsum	
									Sub-Total (A-2)	
A-3										
1	CESMP	Preparation of CESMP under the umbrella of ESIA and site specific conditions.							Lumpsum	
									Sub-Total (A-3)	
									Sub-Total A ((A-1) + (A-2)+(A-3))	
B	CONSTRUCTION PHASE (22 months)									
B-1	Environmental Monitoring Cost (for 03 Locations)									
1	Water Resources/ Water Quality Monitoring	Grab sampling and laboratory testing of water samples by SEPA-approved Laboratory for monitoring as per Sindh environmental quality standards.	1	3	Quarterly (7)	21				
2	Noise Levels Monitoring	Noise monitoring in dBA Leq. as per Sindh environmental quality standards	1	3	Quarterly (7)	21				
3	Ambient Air Monitoring	Monitoring of CO, CO2, SOx, NOx, HC and PM2.5 PM10 by SEPA approved Laboratory as per Sindh environmental quality standards	1	3	Quarterly (7)	21				
4	Emissions Monitoring	Monitoring of point sources including but not limited to generators, construction vehicles, construction machinery for emissions such as CO, CO2, SOx, NOx, HC and PM2.5 PM10 by SEPA approved Laboratory as per Sindh environmental quality standards	1	3	Quarterly (7)	21				
5	Soil Quality Monitoring	Sampling and laboratory testing of soil for the parameters including but not limited to Total Phosphates, Nitrate, Ammonia, Heavy Metals etc.	1	3	Quarterly (7)	21				
6	Wastewater Quality Monitoring	Sampling and testing of liquid effluents for the parameters including but not limited to pH, Temeperature, DO, Turbidity, TOC, Totals P., TSS, BOD5, COD,Cd, Cu, Fe, Pb, Oil and grease, Fecal coliform etc.	1	3	Quarterly (7)	21				
									Sub-Total (B-1)	
B-2	Environmental and Social Management Cost									
1	Environment Specialist (1 No.), Social Expert (1 No.), Medical Officer (1 No.) , OHS Specialist (1 No.), OHS Officers (5 Nos.) , Social Officers Social Officer (1), Gender Officer (1), Flagmen (6), Security Personnel (1)	Conducting all environment, social and OHS related activities e.g. TBTs, PPEs, housekeeping, safety signage, emergency preparedness, etc.			Monthly	22				

GREATER KARACHI BULK WATER SUPPLY SCHEME K-IV AUGMENTATION WORKS										
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA										
BILL 4: ESMP IMPLEMENTATION COST										
Sr. No.	Parameter	Mechanism	No. of Samples	No. of Sampling Locations	Frequency	Quantity	Unit Rate (PKR)	Unit Rate (Foreign Currency_____)	Amount PKR	Amount
										Foreign Currency_____
2	HSE Management	Implementation of Occupational Health and Safety (OHS) measures including housekeeping, safety signages, toolbox talks, inspections, permit-to-work system, incident reporting and investigation, compliance monitoring, emergency preparedness and response planning, and implementation of approved OHS Plans and applicable regulations.			Lumpsum					
2A	Climate-Appropriate PPE	Supply, replacement and maintenance of Personal Protective Equipment (PPE) including cooling safety helmets, breathable safety shoes, reflective jackets, gloves, safety goggles, hearing protection, fall protection equipment, waterproof/rubber gloves or chemical-resistant gloves, waterproof coveralls or protective suits, hand sanitizer, disinfectant etc... and other task-specific PPE for all workers throughout the construction period.			Lumpsum					
2B	Trench and Public Safety Measures	Provision, installation, maintenance and removal upon completion of hard barricades, MS corrugated sheets, rigid barriers, bollards, traffic cones, warning tapes, warning signboards, warning lights, lighting arrangements, flagmen, traffic marshals, trench guards and other safety personnel for protection of workers and public along both sides of trenches and work areas throughout the project alignment (approximately 27,000 R.m.), complete in all respects as directed by the Engineer.			Lumpsum					
2C	Heat Stress Management	Implementation of heat stress management measures including provision of potable drinking water, ORS, shaded rest areas, cooling facilities, worker awareness sessions, monitoring and emergency response arrangements during high temperature conditions.			Lumpsum					
2D	Grievance Redress Mechanism (GRM)	Establishment, operation and maintenance of worker and community grievance redress mechanisms including complaint registration, investigation, resolution, record keeping, communication and reporting.			Lumpsum					
3	Traffic Managment	Traffic management during road crossing works including a safe and efficient movement of traffic, minimizing disruptions through signage, diversions, and deployment of traffic control personnel, Traffic regulation; establishment, operation and removal Traffic regulation; establishment, operation and removal			Lumpsum					
4	Solid Waste Management	Collecting, segregating, transporting, disposing of, and managing domestic, commercial, and construction wastes (solid)			Monthly	22				
5	Liquid Waste Management	Collecting, segregating, transporting, disposing of, and managing domestic, commercial, and construction wastes (liquid)			Monthly	22				
6	Septic Tanks	Construction of septic tanks for liquid waste management			Lumpsum					
7	Training Cost	Preparation of literature and printing material such as posters & pamphlets and arranging trainer(s), and venue, etc.			Monthly	22				
8	Training Cost	Awareness and training sessions for all workers, including subcontractors, on HIV/AIDS, other communicable diseases, and the prevention of Sexual Exploitation and Abuse/Sexual Harassment (SEA/SH). The training shall promote safe health practices, respectful workplace behavior, and gender-sensitive engagement.			Lumpsum					
9	Medical Screening of Contractor's Staff	Conducting medical screening of all staff members at the time of recruitment and annal follow up screening.			Lumpsum					
10	Noise Meter	Procuring of noise meter for ambient noise level monitoring at site as per IEC 61672-1 (Class II).			Lumpsum					
11	Emergency & rescue equipment	Provision of emergency and rescue equipmet incuding but not limited to fire extinguishers, gas detectors, breathers, ladders for access and ingress etc.			Lumpsum					
12	Water Sprinkling	Water sprinkling for dust suppression using water bowsers.			Lumpsum					
13	Potable meter for Particulate Matter testing	Procurement of potable handheld meter for detecting PM in the range of 0 to 1,000 µg/m³ with accuracy of ±10% to ±15% of the reading.			Lumpsum					
14	Social Compliance	Conducting stakeholder consultations and maintaining a continous liaison with the community and line departments.			Lumpsum					
Sub-Total B ((B-1) + (B-2))										

GREATER KARACHI BULK WATER SUPPLY SCHEME K-IV AUGMENTATION WORKS										
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA										
BILL 4: ESMP IMPLEMENTATION COST										
Sr. No.	Parameter	Mechanism	No. of Samples	No. of Sampling Locations	Frequency	Quantity	Unit Rate (PKR)	Unit Rate (Foreign Currency_____)	Amount PKR	Amount
										Foreign Currency_____
C	Post Construction and Defect Liability PHASE (One Year Cost)									
C-1	Environmental Monitoring Cost									
1	Water Resources/ Water Quality	Grab sampling and laboratory testing of water samples by SEPA-approved Laboratory for monitoring as per Sindh environmental quality standards.	1	2	Biannually	4				
2	Noise Levels	Noise monitoring in dBA Leq. as per Sindh environmental quality standards	1	2	Biannually	4				
3	Ambient Air	Monitoring of CO, CO2, SOx, NOx, HC and PM2.5 PM10 by SEPA approved Laboratory as per Sindh environmental quality standards	1	2	Biannually	4				
									Sub-Total (C-1)	
C-2	Environmental and Social Management Cost									
1	Environment, Social, Medical and OHS specialist of contractor	Conducting and monitoring all environment, social and OHS related activities.			Monthly	12				
									Sub-Total (C-2)	
									Sub-Total C ((C-1) + (C-2))	
D	Miscellaneous									
1	Misc.	Misc. @ 10 of the ESMP cost.	To be claimed as per actual receipts on pro rata basis.							
									Total Bill 4 (A+B+C+D)	

GREATER KARACHI BULK WATER SUPPLY SCHEME K-IV AUGMENTATION WORKS							
Lot 2 : WATER TRANSMISSION MAIN FROM R2 TO TO SIR SYED UNIVERSITY OF ENGINEERING AND TECHNOLOGY NEAR NIPA							
BILL 5: DAY WORKS							
Day Works							
S.No.	Description	Unit	Quantity	Unit Rate PKR	Unit Rate Foreign Currency ____	Amount in PKR	Amount in Foreign Currency ____
I) LABOUR							
D101	Ganger (Foreman)	Hr	40				
D102	Labourer	Hr	80				
D103	Plumber	Hr	20				
D104	Mason	Hr	40				
D105	Carpenter	Hr	20				
D106	Steel Work Erector	Hr	20				
D107	Surveyor	Hr	20				
D108	Driver for vehicle up to 10 tons	Hr	40				
D109	Operator for Excavator, Dragline, shovel or crane	Hr	40				
D110	Operator for tractor, (tracked) with dozer blade or ripper	Hr	40				
D111	Welder	Hr	20				
II) MATERIAL							
D201	Cement, ordinary Portland or equivalent in bags	M.Ton	8				
D202	Sulphate resisting cement	M.Ton	8				
D203	Deform Steel reinforcing bar to BS 4449 or equivalent	M.Ton	8				
D204	Fine aggregate for concrete	Cu.m	200				
D205	Coarse aggregate	Cu.m	120				
D206	Gabion with stone fill.	Cu.m	60				
D207	M.S. Plate upto 12.7mm thick grade x 42, API	M.Ton	4				
D208	Granular Sub base	Cu.m	40				
III) CONSTRUCTIONAL PLANT							
D301	Excavator and Back Hoes (with or without hammer)						
	1. JCB-III or equivalent.	Hr	40				
	2.CAT 225 or equivalent	Hr	40				
	Tractor (tracked) including bull or angle dozer:						
	1. Up-to and including 150HP	Hr	40				